

03/02/00  
1c777 U.S. PTO

03-66-00

A

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (4/98)  
Approved for use through 09/30/2000. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<b>UTILITY PATENT APPLICATION TRANSMITTAL</b>  (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No.	KDO:190230-1
	First Inventor or Application Identifier	B. Scott Fabre
	Title	METHOD AND APPARATUS FOR REDUCING...
	Express Mail Label No.	EI618337293US

<b>APPLICATION ELEMENTS</b> See MPEP chapter 600 concerning utility patent application contents.	<b>ADDRESS TO:</b> Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing) 2. <input checked="" type="checkbox"/> Specification [Total Pages <input ]<br="" type="text" value="15"/> - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure 3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets <input ]<br="" type="text" value="5"/> 4. Oath or Declaration [Total Pages <input ]<br="" type="text" value="2"/> a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed) i. <input type="checkbox"/> <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).	5. <input type="checkbox"/> Microfiche Computer Program (Appendix) 6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies <b>ACCOMPANYING APPLICATION PARTS</b> 7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s)) 8. <input checked="" type="checkbox"/> 37 C.F.R. §3.73(b) Statement (when there is an assignee) <input checked="" type="checkbox"/> Power of Attorney 9. <input type="checkbox"/> English Translation Document (if applicable) 10. <input checked="" type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input checked="" type="checkbox"/> Copies of IDS Citations 11. <input checked="" type="checkbox"/> Preliminary Amendment 12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized) * Small Entity 13. <input type="checkbox"/> Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired (PTO/SB/09-12) 14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed) 15. <input type="checkbox"/> Other: .....

\* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a **CONTINUING APPLICATION**, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: \_\_\_\_\_

Prior application information: Examiner \_\_\_\_\_ Group / Art Unit: \_\_\_\_\_

**For CONTINUATION or DIVISIONAL APPS only:** The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

**17. CORRESPONDENCE ADDRESS**

☐ Customer Number or Bar Code Label ☒ Correspondence address below  
 (Insert Customer No. or Attach bar code label here)

Name	Karen Dana Oster Miller Nash LLP				
Address	3500 U.S. Bancorp Tower 111 S.W. Fifth Avenue				
City	Portland	State	Oregon	Zip Code	97204
Country	USA	Telephone	(503) 224-5858	Fax	(503) 224-0155

Name (Print/Type)	Karen Dana Oster	Registration No. (Attorney/Agent)	37,621
Signature	<i>Karen Oster</i>	Date	March 1, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

CERTIFICATION UNDER 37 CFR 1.10

CERTIFICATE OF MAILING BY

“EXPRESS MAIL”

Express Mail No.: EI618337293US

Date of Deposit: March 1, 2000

I hereby certify that the new Utility Patent Application Transmittal PTO/SB/05 (1 page); Fee Transmittal in duplicate (2 pages); Specification (15 pages); Declaration (2 pages); 5 sheets of drawings (FIGS. 1-5); Information Disclosure Statement (2 pages); List of References on Form PTO/SB/08A (1 page); copies of references (7 U.S. Patents); Preliminary Amendment (2 pages); Assignment recordation form (2 pages); Assignment (1 page); Statement Under 37 CFR 3.73(b) (1 page); Copy of the power of attorney (2 pages); two checks in the amounts of \$690 for the filing fee and \$40 for the assignment recordation fee; a return acknowledgment postcard; and this Certificate of Mailing by Express Mail are being deposited with the United States Postal Service, “Express Mail Post Office to Addressee” service under 37 CFR 1.10, on the date indicated above and is addressed to Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

  
Wayne D. Akin

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
PATENT APPLICATION EXAMINING OPERATIONS

Applicants : B. Scott Fabre Group Art Unit:  
Serial No. : Examiner:  
Filed : Concurrently herewith  
Title : METHOD AND APPARATUS FOR REDUCING FIRST COPY OUT  
TIMES USING UNIQUENESS IDENTIFIERS

PRELIMINARY AMENDMENT

Miller Nash LLP  
3500 U. S. Bancorp Tower  
111 SW Fifth Avenue  
Portland, Oregon 97204  
February 29, 2000

Assistant Commissioner for Patents  
Box Patent Application  
Washington, D.C. 20231

Dear Sir:

Please amend the above-identified patent application as follows:

In the Specification:

Please amend the specification as follows:

At page 1, line 26, please add the following paragraph:

--The preferred method for reducing first copy out times of printed matter includes the step of executing a request to print a portion of the printed matter. Next, a uniqueness identifier specifically associated with the portion of the printed matter is generated. Then the uniqueness identifier is compared to a list of uniqueness identifiers stored in memory. Preferably the portion of the printed matter is then printed using data stored in a memory location referenced by the list of uniqueness identifiers if the uniqueness identifier is found in the list of uniqueness identifiers. On the other hand, the method includes the step of storing the uniqueness identifier and a reference to data stored in memory pertaining to the portion of the printed matter

in the list of uniqueness identifiers if the uniqueness identifier is not found in the list of uniqueness identifiers. This method may be used for printing an entire print job or a portion of an entire print job.--

In the Abstract:

Please amend the abstract as follows:

At page 15, line 5, please add the following paragraph:

--A method for reducing first copy out times of printed matter includes the step of executing a request to print a portion of the printed matter. Next, a uniqueness identifier specifically associated with the portion of the printed matter is generated. Then the uniqueness identifier is compared to a list of uniqueness identifiers. Preferably the portion of the printed matter is then printed using data stored in memory. On the other hand, if the uniqueness identifier is not found in the list of uniqueness identifiers, the method includes the step of storing the uniqueness identifier and a reference to data stored in memory pertaining to the portion of the printed matter in the list of uniqueness identifiers. This method may be used for printing an entire print job or a portion of an entire print job.--

#### REMARKS

This preliminary amendment adds an inadvertently omitted paragraph to the summary of the invention and the abstract of the invention. As these paragraphs are based on the claims, no new matter has been added in these amendments. It is submitted that these amendments should not be objectionable.

Consideration of the claims is respectfully requested in view of the above amendments and remarks, and early notice of allowance thereof is earnestly solicited.

Respectfully submitted,



---

Karen Dana Oster  
Reg. No. 37,621  
Of Attorneys of Record  
Tel: (503) 224-5858

# METHOD AND APPARATUS FOR REDUCING FIRST COPY OUT TIMES USING UNIQUENESS IDENTIFIERS

## BACKGROUND OF THE INVENTION

5           The present invention is directed to a method and apparatus for reducing first copy out (FCO) times for printing documentation and specifically to a method and apparatus that uses uniqueness identifiers to reduce FCO times.

          As demand for printing speed increases, manufacturers are having to look beyond the standard speed-increasing mechanisms such as faster machines, wider  
10   bandwidths, and process caching.

          Faster printer speeds and faster data transfer methods, as mentioned above, can significantly increase the speed of the printing process. However, these solutions are often costly to implement. Also, as the industry reaches maximum speeds, creative solutions will be needed to satisfy the need for increasing the printing process speeds.

15           One time-consuming part of the printing process is the time it takes to render or define the content of a predetermined area. Users often see this rendering delay as the period of time from the moment the user initiates a print command until the printer prints the document or print job. (It should be noted that other factors may contribute to the delay; however, the rendering factor can be significant.) Further, each time a print job  
20   is printed it is re-rendered, even if the print job has not changed or if only minor changes have been made.

## BRIEF SUMMARY OF THE INVENTION

          The present invention seeks to reduce the rendering delay by eliminating  
25   the need to re-render previously rendered print jobs or subportions thereof.

          The foregoing and other objectives, features, and advantages of the invention will be more readily understood upon consideration of the following detailed description of the invention, taken in conjunction with the accompanying drawings.

## BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

FIG. 1 is a simplified structural diagram of an exemplary host computer in communication with an exemplary printer suitable for implementing the present invention.

5                   FIG. 2 is a simplified flow chart of an exemplary process for reducing FCO time using a “print job” uniqueness identifier.

FIG. 3 is a simplified flow chart of an exemplary process for reducing FCO time using a “print page” uniqueness identifier.

10                   FIG. 4 is a simplified flow chart of an exemplary process for reducing FCO time using a “print image” uniqueness identifier.

FIG. 5 is a simplified flow chart of an exemplary process for reducing FCO time using “print job,” “print page,” and “print image” uniqueness identifiers.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

15                   The present invention is directed to a method and apparatus for reducing first copy out times. Specifically, this invention uses uniqueness identifiers to accomplish this task. As each print job is prepared for printing, a uniqueness identifier is assigned to the print job. Preferably, the print job is divided into portions, such as pages, images, chapters, paragraphs, sentences, headers, and/or watermarks. Each portion is also  
20 assigned a uniqueness identifier. As a document or portion is reprinted, or future versions of the document or portions are printed, this invention allows the original rendered version or portion of that version to be accessed in memory and printed. Since the time it takes to transfer and render data is usually greater than the time it takes to access a previous rendering, this procedure potentially saves significant time.

25                   FIG. 1 shows an exemplary embodiment of a host computer 20 and a printer 22 on which the present invention may be implemented. The shown embodiment uses a host computer 20 that includes at least one application 24 and a print driver 26. The application 24 is suitable for calling the print driver 26 to print a print job 27. The print driver 26 is suitable for generating at least one uniqueness identifier 28. The print

driver 26 or other transfer mechanism is used for transferring or passing the print job 27 and the uniqueness identifier 28 to the printer 22.

In the exemplary computer 20 and printer 22, the print job 27 and the uniqueness identifier 28 are passed to the printer 22 through an input/output mechanism 30 to a controller 32 of the printer 22. The controller 32, shown as physically situated in printer 22, may include one or more of the following features: a language determinator 34 that accesses print job 27 to identify, interpret, and implement commands; a renderor 35 that receives data to be rendered from the language determinator 34; a data list 36 that receives and stores data from the renderor 35; a uniqueness identifier compare 38 that compares the provided uniqueness identifiers 28 to those stored on a uniqueness identifier list or cache tag table 40; and an input/output mechanism 42 for passing information to an associated input/output mechanism 43 in the printer engine. The uniqueness identifier compare 38 compares the supplied uniqueness identifier 28 to those in the uniqueness identifier list 40. If there is a match or HIT, a job number associated with each uniqueness identifier in the uniqueness identifier list 40 is provided to the uniqueness identifier compare 38. The uniqueness identifier compare 38 then passes the HIT information including the job number through input/output 42 to input/output 43. If there is no match or MISS, that information is passed to the renderor 35 that then passes the MISS information (including the rendered data) from the data list 36 through input/output 42 to input/output 43.

The printer or copier engine 44 may include one or more of the following features: an input/output mechanism 43; a flow master or decision utility 46; a job locator list 48; a hard disk 50; and a physical paper handler 52. The input/output mechanism passes information to the flow master 46. If the information passed to the flow master 46 indicates a HIT, the flow master 46 passes a job number to the job locator list 48 that is used to look up the data location of the previously rendered data on the hard disk 50. The previously rendered HIT data is then sent to the physical paper handler 52 for printing. If the information passed to the flow master 46 indicates a MISS, the flow master 46 passes MISS rendered data to the physical paper handler 52 for printing.

It should be noted that the present invention may also be implemented over a network, on a dedicated word processing machine, or any host machine. Further, the above set forth configuration is meant to be exemplary as many alternate configurations and additional features are included in the scope of the invention. One  
5 example of an alternate configuration is that the uniqueness identifier 28 may be generated by a uniqueness identifier generator separate and distinct from the driver 26. An example of an additional feature is that, although not shown, each time data is rendered (a MISS), the rendered data is stored on the hard disk 50, its location is stored on the job locator list 48, and the associated job number is recorded with the uniqueness  
10 identifier 28 on the uniqueness identifier list 40.

FIG. 2 shows a simple implementation of the present invention in which it is determined whether the entire "print job" has previously been rendered and printed. Specifically, after the user (possibly through an application 24) initiates a print job 60, a host computer calls a print driver 62. The print driver then generates a "print job"  
15 uniqueness identifier 64. At least a first buffer of the "print job" and the "print job" uniqueness identifier are then transferred to the printer controller 66. The printer controller then uses the uniqueness identifier compare to compare the supplied "print job" uniqueness identifier to the uniqueness identifiers in a uniqueness identifier list 68.

If the "print job" uniqueness identifier is found in the uniqueness identifier  
20 list, a "HIT" is registered. If a HIT occurs, the printer controller calls to the reference location indicated on the uniqueness identifier list to access the previous rendering 70. (An exemplary method of referencing the reference location described in detail above uses a job number from the uniqueness identifier list 40 that references a data location on the job locator list 48 to find the data rendering on the hard disk 50.) Then the printer  
25 controller calls back to the printer driver to stop transmission of the "print job" 72. Finally, the "print job" is printed using the cached data 74.

On the other hand, if the uniqueness identifier is not found in the uniqueness identifier list, a "MISS" is registered. If a MISS occurs, the remainder, if any, of the "print job" is transferred to the printer 76. Then the reference location information



(e.g. the uniqueness identifier, job number, and data location) is entered into appropriate lists (e.g. the uniqueness identifier list 40 and the job locator list 48) 78. Finally, the “print job” is printed using the transferred data 80.

FIG. 3 shows an alternate implementation of the present invention in which it is determined whether each separate individual page (“print page”) of a complete “print job” has previously been rendered and printed. Specifically, after the user (possibly through an application) initiates a print job 90, a host computer calls a print driver 92. For every “print page” 1 to N, the print driver generates an associated “print page” uniqueness identifier 1 to N. At least a first buffer of the “print page,” including the associated “print page” uniqueness identifier, is then transferred to the printer controller 96. The printer controller then uses the uniqueness identifier compare to compare the supplied “print page” uniqueness identifier to the uniqueness identifiers in a uniqueness identifier list 98.

If the uniqueness identifier is found in the uniqueness identifier list, a “HIT” is registered. If a HIT occurs, the printer controller calls to the reference location indicated on the uniqueness identifier list to access the previous rendering 100. (An exemplary method of referencing the reference location described in detail above uses a job number from the uniqueness identifier list 40 that references a data location on the job locator list 48 to find the data rendering on the hard disk 50.) Then the printer controller calls back to the printer driver to stop transmission of the “print page” 102. Finally, the “print page” is printed using the cached data 104.

On the other hand, if the uniqueness identifier is not found in the uniqueness identifier list, a “MISS” is registered. If a MISS occurs, the remainder, if any, of the “print page” is transferred to the printer 106. Then the reference location information (e.g. the uniqueness identifier, job number, and data location) is entered into appropriate lists (e.g. the uniqueness identifier list 40 and the job locator list 48) 108. Finally, the “print page” is printed using the transferred data 110.

Whether the uniqueness identifier compare has found a HIT or MISS, after the individual page has been printed it must then be determined whether the “print job” is

complete 112. In other words, the program determines whether “print page” N has been printed 112. If the “print job” is complete, the program ends. If the “print job” is not complete, the program loops back to the portion of the program just prior to the “print page” and the associated uniqueness identifier being transferred to the printer controller.

- 5 The program “loops” for each of the N pages of the “print job.”

FIG. 4 shows another alternate implementation of the present invention in which it is determined whether each separate image (“print image”) of a complete “print job” has previously been rendered and printed. Specifically, after the user (possibly through an application) initiates a print job 120, a host computer calls a print driver 122.

- 10 For every “print image” 1 to N, the print driver 26 generates an associated “print image” uniqueness identifier 1 to N 124. At least a first buffer of the “print image,” including the associated uniqueness identifier, is then transferred to the printer controller 126. The printer controller then uses the uniqueness identifier compare to compare the supplied “print image” uniqueness identifier to the uniqueness identifiers in a uniqueness identifier list 128.
- 15

If the uniqueness identifier is found in the uniqueness identifier list, a “HIT” is registered. If a HIT occurs, an optional efficiency check may be performed to determine whether the “print image” should be re-rendered or printed using cached data 130. This determination would most likely be based on such exemplary factors as the size of the “print image” and the speed of the host computer and printer. If the efficiency check determines it would be more efficient to re-render, the procedure associated with a MISS as set forth below is followed. Otherwise, the next step of the HIT procedure would be to access the reference location indicated on the uniqueness identifier list to retrieve the previous rendering 132. (An exemplary method of referencing the reference location described in detail above uses a job number from the uniqueness identifier list 40 that references a data location on the job locator list 48 to find the data rendering on the hard disk 50.) Then the printer controller 32 would call back to the printer driver 26 to stop transmission of the “print image” 134. Finally, the “print image” is printed using the cached data 136.

20

25

On the other hand, if the uniqueness identifier is not found in the uniqueness identifier list, a "MISS" is registered. If a MISS occurs or the result of the efficiency check so dictates, the remainder, if any, of the "print image" is transferred to the printer 138. Then the reference location information (e.g. the uniqueness identifier, job number, and data location) is entered into appropriate lists (e.g. the uniqueness identifier list 40 and the job locator list 48) 140. Finally, the "print image" is printed using the transferred data 142.

Whether the uniqueness identifier compare has found a HIT or MISS, after the individual image has been printed it must then be determined whether the "print job" is complete 144. In other words, the program determines whether "print image" N has been printed 144. If the "print job" is complete, the program loops back to the portion of the program just prior to the "print image" and the associated uniqueness identifier being transferred to the printer controller. The program "loops" for each of the N images of the "print job."

FIG. 5 shows another alternate implementation of the present invention in which it is determined whether the entire "print job," one or more "print page," or one or more "print image," has previously been rendered and printed. Specifically, after the user (possibly through an application) initiates a print job 160, a host computer calls a print driver 162. For every "print job," the print driver generates a "print page" uniqueness identifier 164. For every "print page" 1 to N, the print driver generates an associated "print page" uniqueness identifier 1 to N 164. For every "print image" 1 to N, the print driver generates an associated "print image" uniqueness identifier 1 to N 164. (It should be noted that the shown flow chart would require the print image 1 to N to be on the same page in order to loop properly. This implementation was chosen for clarity and is not meant to limit the scope of the invention.)

At this point, a series of inquiries begin in which it is determined whether the entire "print job" has previously been printed. Then it is determined whether any of the "print pages" have been previously printed. Finally, it is determined whether any of the "print images" have previously been printed. If the job, page, or image has previously

been rendered (as determined by respective uniqueness identifier compares), then a “HIT” is registered, an optional efficiency check is performed, and the respective job, page, or image is printed.

Specifically, FIG. 5 shows this series of inquiries beginning with at least a  
5 first buffer of the “print job,” including the associated "print job" uniqueness identifier, is transferred to the printer controller 166. The uniqueness identifier compare then compares the supplied "print job" uniqueness identifier to those in the uniqueness identifier list 168. If the "print job" uniqueness identifier is found in the uniqueness identifier list, a “HIT” is registered and the HIT procedure set forth below is performed.  
10 On the other hand, if the “print job” uniqueness identifier is not found in the uniqueness identifier list, a “MISS” is registered and the next level, the “print page” level, is examined. At the “print page” level, if the “print job” can be divided into “print pages” 1 to N, at least a first buffer of “print page” 1 to N, including the associated “print page” 1 to N uniqueness identifier, is transferred to the printer controller 170. The uniqueness  
15 identifier compare then compares the supplied “print page” 1 to N uniqueness identifier to those in the uniqueness identifier list 172. If the "print page" 1 to N uniqueness identifier is found in the uniqueness identifier list, a “HIT” is registered and the HIT procedure set forth below is performed. On the other hand, if the “print page” 1 to N uniqueness identifier is not found in the uniqueness identifier list, a “MISS” is registered and the next level, the “print image” level, is examined. At the “print image” level, if the  
20 “print page” can be divided into “print images” 1 to N, at least a first buffer of the “print image” 1 to N, including the associated “print image” 1 to N uniqueness identifier, is transferred to the printer controller 174. The uniqueness identifier compare then compares the supplied "print image" 1 to N uniqueness identifier to those in the  
25 uniqueness identifier list 176. If the "print image" 1 to N uniqueness identifier is found in the uniqueness identifier list, a “HIT” is registered and the HIT procedure as set forth below is performed. On the other hand, if the “print image” 1 to N uniqueness identifier is not found in the uniqueness identifier list, a “MISS” is registered.

If there is a HIT, as set forth above, a HIT procedure is performed that may include an optional efficiency check 178 and printing 180-190. Specifically, an efficiency check may be performed to determine whether the “print job/page/image” should be re-rendered or printed using cached data 178. This determination would most likely be based on such exemplary factors as the size of the “print job/page/image” and the speed of the host computer and printer. If the efficiency check determines it would be more efficient to re-render, the program would follow the procedure associated with a MISS as set forth below. Otherwise, the next step of the HIT procedure would be that the printer controller 32 would call to the reference location indicated on the uniqueness identifier list to access the previous rendering 180. (An exemplary method of referencing the reference location described in detail above uses a job number from the uniqueness identifier list 40 that references a data location on the job locator list 48 to find the data rendering on the hard disk 50.) Then the printer controller would call back to the printer driver to stop transmission of the “print job/page/image” 182. Finally, the “print job/page/image” is printed using the cached data 184.

On the other hand, if the uniqueness identifiers are not found in their respective uniqueness identifier lists (which may be a single combined uniqueness identifier list or separate uniqueness identifier lists for each type of division), or if the result of the efficiency check so dictates, a MISS procedure is performed. The MISS procedure includes the step of transferring the remainder, if any, of the “print job/page/image” to the printer 186. Then the reference location information (e.g. the uniqueness identifier, job number, and data location) is entered into appropriate lists (e.g. the uniqueness identifier list 40 and the job locator list 48) 188. Finally, the “print job/page/image” is printed using the transferred data 190.

Whether uniqueness identifier compare has found a HIT or MISS, after the individual page has been printed, it must then be determined whether the “print job/page/image” is complete 192, 194, 196. This is a reverse iterative process that first looks to see whether all the images on a page have been printed 192, then whether all the pages have been printed 194, and finally whether the entire “print job” has been printed

196. If any image on a page has not been printed or any page in a print job has not been printed, the program loops to the respective part of the program to continue. If the “print job” is complete, the program ends.

In the exemplary preferred embodiments set forth above, the print driver  
5 26 generates or provides at least one uniqueness identifier 28 as well as the other information needed for rendering and printing. It should be noted that a dedicated processor or software driver\_mechanism could also perform the process of generating uniqueness identifiers. Further, depending on the application, specific configurations of the computer 20, printer 22, and the print job 27, many types of uniqueness identifier  
10 algorithms could be used to calculate the uniqueness identifiers. Some exemplary algorithms that could be used to calculate uniqueness identifiers are those associated with checksums. For example, checksum algorithms like SUM8, SUM16, SUM32, CRC16, and CRC32. SUM8, SUM16, and SUM32 add up the total bytes in the print job or subportion using, respectively, an 8 bit, 16 bit, or 32 bit number. CRC16 and CRC32  
15 use, respectively, a 16 bit or 32 bit polynomial to calculate the checksum. Encryption keys can also be used to create the uniqueness identifier.

FIGS. 4 and 5, as discussed above, include an optional efficiency check. It should be noted that the efficiency check could be eliminated from these processes. Further, an efficiency check could be added to the processes shown in FIGS. 2 and 3.  
20 One reason to perform an efficiency check to determine whether a pre-determined portion of a document should be re-rendered or printed using cache data, is because the difference in the time it takes to transfer and re-render the data would vary compared to accessing the cached data. In other words, sometimes re-rendering would be more efficient and sometimes using cached data would be more efficient.

25 The flow charts set forth in FIGS. 2-5 are meant to be exemplary. Several of the steps set forth therein are simplified for clarity. Also, a print job 27 may be divided into subportions in other than page or image. For example, in addition to pages and images, the print job 27 may be divided by watermark, header, sentence, paragraph, or chapter. Also, the order of the steps is meant to be exemplary. For example, the steps

of stopping transmission and printing can be done simultaneously or in reverse order. Similarly, the steps of entering information in lists and printing may be done simultaneously or in reverse order.

- 5       The terms and expressions which have been employed in the foregoing specification are used therein as terms of description and not of limitation, and there is no intention, in the use of such terms and expressions, of excluding equivalents of the features shown and described or portions thereof, it being recognized that the scope of the invention is defined and limited only by the claims which follow.

CLAIMS:

1. A method for reducing first copy out times of printed matter, said method comprising the steps of:

- 5
- (a) executing a request to print at least a portion of said printed matter;
  - (b) generating a uniqueness identifier specifically associated with said at least a portion of said printed matter;
  - (c) comparing said uniqueness identifier to a list of uniqueness identifiers stored in memory;
  - 10 (d) printing said at least a portion of said printed matter using data stored in a memory location referenced by said list of uniqueness identifiers if said uniqueness identifier is found in said list of uniqueness identifiers; and
  - 15 (e) storing said uniqueness identifier and a reference to data stored in memory pertaining to said at least a portion of said printed matter in said list of uniqueness identifiers if said uniqueness identifier is not found in said list of uniqueness identifiers.

2. A method for reducing first copy out times of a "print portion," said method comprising the steps of:

- 20
- (a) executing a request to print said "print portion";
  - (b) generating a "print portion" uniqueness identifier specifically associated with said "print portion";
  - (c) comparing said "print portion" uniqueness identifier to a list of uniqueness identifiers stored in memory;
  - 25 (d) printing said "print portion" using previously rendered data stored in a memory location referenced by said list of uniqueness identifiers if said "print portion" uniqueness identifier is found in said list of uniqueness identifiers; and
  - 30 (e) storing said "print portion" uniqueness identifier and a reference to data stored in memory pertaining to said "print portion" in said list



of uniqueness identifiers if said "print portion" uniqueness identifier is not found in said list of uniqueness identifiers.

3. The method of claim 2, said step of printing said "print portion" printing an entire print job.

4. The method of claim 2, said step of printing said "print portion" printing a portion of an entire print job.

5. The method of claim 4 further comprising the steps of:

(a) said step of generating a "print portion" uniqueness identifier specifically associated with said "print portion" including the step of generating a "print portion" uniqueness identifier 1-N specifically associated with each "print portion" 1-N of said entire print job;

(b) comparing said "print portion" uniqueness identifier 1-N to a list of uniqueness identifiers stored in memory;

(c) printing said "print portion" 1-N using previously rendered data stored in a memory location referenced by said list of uniqueness identifiers if said "print portion" uniqueness identifier 1-N is found in said list of uniqueness identifiers; and

(d) storing said "print portion" uniqueness identifier 1-N and a reference to data stored in memory pertaining to said "print portion" 1-N in said list of uniqueness identifiers if said "print portion" uniqueness identifier 1-N is not found in said list of uniqueness identifiers;

(e) determining whether said entire print job has been printed; and

(f) repeating steps (b)-(e) until said entire print job has been printed.

6. The method of claim 2 further comprising the step of performing an efficiency check.

7. A method for reducing first copy out times for printing an entire print job, said method comprising the steps of:

- (a) executing a request to print said entire print job, said entire print job divisible into "print portion" 1-N;
- (b) generating a "print portion" uniqueness identifier 1-N specifically associated with each "print portion" 1-N of said entire print job;
- (c) for a consecutive one of "print portion" 1-N, comparing said "print portion" uniqueness identifier 1-N to a list of uniqueness identifiers stored in memory;
- (d) for said consecutive one of "print portion" 1-N, printing said "print portion" 1-N using previously rendered data stored in a memory location referenced by said list of uniqueness identifiers if said "print portion" uniqueness identifier 1-N is found in said list of uniqueness identifiers; and
- (e) for said consecutive one of "print portion" 1-N, storing said "print portion" uniqueness identifier 1-N and a reference to data stored in memory pertaining to said "print portion" 1-N in said list of uniqueness identifiers if said "print portion" uniqueness identifier 1-N is not found in said list of uniqueness identifiers;
- (f) determining whether said entire print job has been printed; and
- (g) repeating steps (c)-(f) until said entire print job has been printed.

8. The method of claim 7 further comprising the step of performing an efficiency check.

# METHOD AND APPARATUS FOR REDUCING FIRST COPY OUT TIMES USING UNIQUENESS IDENTIFIERS

## ABSTRACT OF THE DISCLOSURE

5

FIG. 1 is a block diagram of a system for processing print jobs. The system includes a Host PC 20, a Printer 22, and a Printer Engine 44. The Host PC 20 contains an Application X 24, a Driver 26, and a Uniqueness Identifier 28. The Printer 22 contains a Controller 32, a Language Determinator 34, a Renderor 35, a Data List 36, a Uniqueness Identifier Compare 38, a Uniqueness Identifier List 40, and an I/O 30. The Printer Engine 44 contains a Flow Master 46, a Job Locator List 48, a Hard Disk 50, a Physical Paper Handler 52, and an I/O 43. The system is designed to process print jobs by identifying unique identifiers and managing data flow between the host, printer, and engine components.

FIG. 1




FIG. 2




FIG. 3






FIG. 4







Please type a plus sign (+) inside this box → +

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</b>	<b>Attorney Docket Number</b> KDO:190230-0001	
	<b>First Named Inventor</b> B. Scott Fabre	
	<b>COMPLETE IF KNOWN</b>	
	<b>Application Number</b>	/
	<b>Filing Date</b>	Concurrently herewith
	<b>Group Art Unit</b>	
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing	OR	<input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)
		<b>Examiner Name</b>

<b>As a below named inventor, I hereby declare that:</b>					
My residence, post office address, and citizenship are as stated below next to my name.					
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:					
<div style="border: 1px solid black; padding: 5px;">METHOD AND APPARATUS FOR REDUCING FIRST COPY OUT TIMES USING UNIQUENESS IDENTIFIERS</div>					
the specification of which <span style="float: right;">(Title of the Invention)</span>					
<input checked="" type="checkbox"/> is attached hereto					
OR					
<input type="checkbox"/> was filed on (MM/DD/YYYY) <span style="border: 1px solid black; display: inline-block; width: 150px; height: 1.2em; vertical-align: middle;"></span> as United States Application Number or PCT International					
Application Number <span style="border: 1px solid black; display: inline-block; width: 100px; height: 1.2em; vertical-align: middle;"></span> and was amended on (MM/DD/YYYY) <span style="border: 1px solid black; display: inline-block; width: 100px; height: 1.2em; vertical-align: middle;"></span> (if applicable).					
I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.					
I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.					
I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.					
<b>Prior Foreign Application Number(s)</b>	<b>Country</b>	<b>Foreign Filing Date (MM/DD/YYYY)</b>	<b>Priority Not Claimed</b>	<b>Certified Copy Attached?</b>	
				<b>YES</b>	<b>NO</b>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.					
I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.					
<b>Application Number(s)</b>	<b>Filing Date (MM/DD/YYYY)</b>		<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.		

[Page 1 of 2]

**Burden Hour Statement:** This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box →



PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer  
Number Bar Code  
Label here

Name	Registration Number	Name	Registration Number
Karen Dana Oster	37,621		
Erich W. Merrill, Jr.	31,982		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number or Bar Code Label

OR ☒ Correspondence address below

Name	Karen Dana Oster, c/o Miller Nash LLP				
Address	3500 U.S. Bancorp Tower				
Address	111 S.W. Fifth Avenue				
City	Portland	State	OR	ZIP	97204-3699
Country	USA	Telephone	(503) 224-5858	Fax	(503) 224-0155

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname		
B. Scott		Fabre		
Inventor's Signature	Date		2/1/00	
Residence: City	Aloha	State	OR	
Country	USA		Citizenship	USA
Post Office Address				
Post Office Address	19626 SW Wright St.			
City	Aloha	State	OR	
ZIP	97007		Country	USA

☐ Additional inventors are being named on the \_\_\_\_\_ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION</b> (37 CFR 1.63)	<b>Attorney Docket Number</b>	KDO:190230-0001
	<b>First Named Inventor</b>	B. Scott Fabre
	<b>COMPLETE IF KNOWN</b>	
	<b>Application Number</b>	/
	<b>Filing Date</b>	Concurrently herewith
	<b>Group Art Unit</b>	
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing	<input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	<b>Examiner Name</b>

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**METHOD AND APPARATUS FOR REDUCING FIRST COPY OUT TIMES USING UNIQUENESS IDENTIFIERS**

the specification of which (Title of the Invention)

☒ is attached hereto

OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → +

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number  OR  
☒ Registered practitioner(s) name/registration number listed below

Place Customer  
Number Bar Code  
Label here

Name	Registration Number	Name	Registration Number
Karen Dana Oster	37,621		
Erich W. Merrill, Jr.	31,982		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.


Direct all correspondence to: ☐ Customer Number  OR ☒ Correspondence address below

Name	Karen Dana Oster, c/o Miller Nash LLP				
Address	3500 U.S. Bancorp Tower				
Address	111 S.W. Fifth Avenue				
City	Portland	State	OR	ZIP	97204-3699
Country	USA	Telephone	(503) 224-5858	Fax	(503) 224-0155

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Name of Sole or First Inventor:**

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname	
B. Scott		Fabre	
Inventor's Signature			Date
			2/1/00
Residence: City	Aloha	OR	OR
		State	Country
		USA	
Post Office Address			
Post Office Address	19626 SW WRIGHT ST.		
City	Aloha	State	OR
		ZIP	97007
		Country	USA

☐ Additional inventors are being named on the \_\_\_\_\_ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**STATEMENT UNDER 37 CFR 3.73(b)**

Applicant/Patent Owner: B. Scott Fabre

Application No./Patent No.: \_\_\_\_\_ Filed/Issue Date: Concurrently herewith

Entitled: METHOD AND APPARATUS FOR REDUCING FIRST COPY OUT TIMES USING UNIQUENESS IDENTIFIERS

Sharp Laboratories of America, Inc., a corporation

(Name of Assignee)

(Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)

states that it is:

1. ☒ the assignee of the entire right, title, and interest; or
2. ☐ an assignee of an undivided part interest

in the patent application/patent identified above by virtue of either:

- A. ☒ An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recorded in the Patent and Trademark Office at Reel \_\_\_\_\_, Frame \_\_\_\_\_, or for which a copy thereof is attached.

OR

- B. ☐ A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as shown below:

1. From: \_\_\_\_\_ To: \_\_\_\_\_  
The document was recorded in the Patent and Trademark Office at  
Reel \_\_\_\_\_, Frame \_\_\_\_\_, or for which a copy thereof is attached.
2. From: \_\_\_\_\_ To: \_\_\_\_\_  
The document was recorded in the Patent and Trademark Office at  
Reel \_\_\_\_\_, Frame \_\_\_\_\_, or for which a copy thereof is attached.
3. From: \_\_\_\_\_ To: \_\_\_\_\_  
The document was recorded in the Patent and Trademark Office at  
Reel \_\_\_\_\_, Frame \_\_\_\_\_, or for which a copy thereof is attached.

☐ Additional documents in the chain of title are listed on a supplemental sheet.


- ☐ Copies of assignments or other documents in the chain of title are attached.

**[NOTE]:** A separate copy (i.e., the original assignment document or a true copy of the original document) must be submitted to Assignment Division in accordance with 37 CFR Part 3, if the assignment is to be recorded in the records of the PTO. See MPEP 302-302.8]

The undersigned (whose title is supplied below) is empowered to sign this statement on behalf of the assignee.

March 1, 2000

Date



Signature

Karen Dana Oster

Typed or printed name

Attorney of Record

Title